TECWARE

M3
MICRO **ATX**

Contents

Specifications

Type	Specification
Motherboard Support	Micro-ATX / Mini ITX
Dimensions	420(L) x 212(W) x 395(H) mm
3.5" HDD Drive Bay	2
2.5" SSD Drive Bay	2
Expansion Slots	4
Maximum GPU Length	350mm
Cable Management	20 mm
Maximum CPU Cooler Height	up to 160mm

Panel Removal

RGB Button

Toggle between various LED lighting effects.

Dedicated RGB Button

Open the front cover by pulling outwards to the right.

Front Panel I/O Connections

BUTTONS AND ACTIVITY LIGHTS

These cables are connected to the motherboard for the power button (power sw), reset button, HDD LED, and power LED (P+ / P-).

HD AUDIO

This connector attaches to your sound card or motherboard and is used to provide the front panel mic input and headphone output.


USB 3.0 CONNECTOR

This cable connects to the USB 3.0 header on the motherboard to enable the front USB 3.0 ports.

Component List

VISUAL	ITEM	QTY	APPLICATION
A	Motherboard & SSD screw	18	Motherboard and 2.5 hard drive installation
B	Motherboard standoff	3	Motherboard installation
C	HDD mount screw	4	3.5 hard drive installation
D	Thumb screw	4	Rear Panel/Expansion Slots
E	PSU & Rear expansion slot screw	6	Power supply installation Mounting of GPU and other expansion cards
F	Radiator Fan Screw	4	Radiator/Fan Installation
G	Rubber Gasket	4	Tempered Glass

Motherboard Installation

Screw (Type A & B)

SSD / HDD Installation

SSD / HDD Drive Installation

SSD

SSD

2x 2.5" SSD

HDD

HDD

2x 3.5" HDD

Screw (Type A)

Screw (Type C)

GPU & PSU Installation

Graphics Processing Unit and other expansion cards

Power Supply Unit Installation

GPU and other expansion cards

PSU

Screw (Type E)

Cable Management Area

CPU Cooler / Fan Installation

supports
2x 120mm fan

supports
120mm fan

**CPU Cooler
up to 160mm**

supports
2x 120mm fan

Screw (Type F)

Package Contents

- TECWARE M3 MICRO ATX
- Bag of Screws

Warranty

- 1 Year. Please contact your local distributor for support.

TECWARE

www.tecware.co